

ACCR REPORTABLE LIST
ICD-10 Casefinding Codes for ICD-O-3 Reportable Diseases
Effective dates 10/01/2021 – 9/30/2022

The following ICD-10-CM list is intended to assist in reportable neoplasm casefinding activities. It should be used to identify potentially reportable tumors. Any reportable neoplasms **diagnosed on or after January 1, 1996** should be reported to the Arkansas Central Cancer Registry

Reportable Neoplasms:

- ❖ Behavior code of 2 or 3 in ICD-O-3 (NPCR included VIN III, VAIN III, AIN III)
- ❖ Malignant neoplasms (exclusions noted below)
- ❖ Benign and borderline neoplasms of the central nervous system (Cases diagnosed on or after January 1, 2004), including juvenile astrocytoma (M9432/1 **change** to 9423/3) *Juvenile astrocytomas should be reported as 9421/3.
- ❖ Carcinoma in-situ (exclusions noted below)
- ❖ Carcinoid, NOS (Beginning 1/1/15 appendix carcinoids are reportable and should be reported per NAACCR ICD-O-3 guidelines update implementation, p. 8 reportability change be malignant)
- ❖ Squamous **intraepithelial neoplasia grade III** of vulva (**VIN**), vagina (**VAIN**), and anus (**AIN**) beginning with 2001 cases as an Arkansas Central Cancer Registry state required item.
- ❖ Primary tumors that originate in a mucous membrane are reportable and include the following: Lip, Anus, Labia, Clitoris, Scrotum, Vulva, Vagina, Prepuce and Penis

<p>C00. _ - C43. _ , C4A. _ , C45. _ - C48. _ , C49. _ - C96. _ Malignant neoplasms (primary and secondary) Excluding category C44</p> <p>C44.13- Sebaceous cell carcinoma of skin of eyelid, including canthus</p> <p>Effective: 10/1/2021</p> <p>NEW for FY2022:</p> <p>C56.3 Malignant neoplasm of bilateral ovaries</p> <p><i>C79.63 Secondary malignant neoplasm of bilateral ovaries</i></p> <p><i>C84.7A Anaplastic large cell lymphoma, ALK-negative, breast</i></p>
<p>C49.A _ Gastrointestinal Stromal Tumors (GIST)</p> <p>Note: ALL GIST tumors are now reportable starting in 2021 (per ICD-O-3.2); Prior to diagnosis 1/1/2021 GIST is only reportable when it is malignant (/3).</p>
<p>D00. _ - D09. _ In-situ neoplasms (Note. CIS of cervix (CIN III-8077/2) and (Prostatic Intraepithelial Carcinoma (PIN III-8148/2) are not reportable</p>
<p>D13.7 Benign neoplasm of endocrine pancreas</p> <p>Note: Effective 1/1/2021 review this code to look for the following which were previously a benign tumor of the pancreas, but is now malignant per ICD-O-3.2</p> <ul style="list-style-type: none"> • Islet cell adenoma • Nesidioblastoma • Islet cell adenomatosis • Insulinoma • Beta cell adenoma
<p>D18.02 Hemangioma, intracranial structures and any site</p> <p>Note: <i>Includes hemangioma of Brain, Other parts of nervous system and endocrine glands, which are reportable.</i></p>
<p>D21.4, D48.1 Benign neoplasm of connective and other soft tissue of abdomen</p> <p>Note: Effective 1/1/2021 review this code to look for the following which were previously a benign tumor of the pancreas, but is now malignant per ICD-O-3.2</p> <ul style="list-style-type: none"> • Gastrointestinal stromal tumor NOS/GIST NOS/Gastrointestinal autonomic nerve tumor/GANT/Gastrointestinal pacemaker cell tumor (8936/1, now 8936/3)
<p>D23.9 Other benign neoplasm of skin; Benign carcinoid tumors of other sites</p>

Note: Effective 1/1/2021 review these codes to look for the following which were previously benign and borderline tumors, but are now malignant per ICD-O-3.2	
<ul style="list-style-type: none"> Aggressive digital papillary adenoma (C44_) (8408/1, but now 8404/3) 	
D3A._ Benign carcinoid tumors of other sites	
Note: Effective 1/1/2021 review these codes to look for the following which were previously benign and borderline tumors, but are now malignant per ICD-O-3.2	
<ul style="list-style-type: none"> Carcinoid tumor, argentaffinoma, NOS (8240/1, now 8241/3) Enterochromaffin-like cell carcinoid, NOS (8242/1, now 8241/3) 	
D32._	Benign neoplasm of meninges (cerebral, spinal and unspecified)
D33._	Benign neoplasm of brain and other parts of central nervous system
D35.00 – D35.02 Benign neoplasm of adrenal gland	
Note: Effective 1/1/2021 review this code to look for the following which was previously a benign (8700/0) tumor of the adrenal gland, but is now malignant per ICD-O-3.2 (8700/3)	
<ul style="list-style-type: none"> Pheochromocytoma Adrenal medullary paraganglioma Chromaffin paraganglioma Chromaffin tumor Chromaffinoma 	
D35.2 – D35.4 Benign Pituitary gland and craniopharyngeal duct (pouch), pineal gland	
D37.8 Neoplasm of uncertain behavior of other specified digestive organs (includes uncertain behavior of pancreas)	
Note: Effective 1/1/2021 review this code to look for the following histologies which were previously borderline tumors, but are now malignant per ICD-O-3.2	
<ul style="list-style-type: none"> Pancreatic endocrine tumor, NOS (C259, 8150/1, now 8150/3) Islet cell tumor, NOS (C259, 8150/1, now 8150/3) Glucagonoma, NOS (C259, 8152/1, now 8152/3) Alpha cell tumor, NOS (C259, 8152/1, now 8152/3) Glucagon-like peptide-producing tumor (C259, 8152/1, now 8152/3) Somastostatinoma, NOS (8156/1, now 8156/3) Somatostatin cell tumor NOS (8156/1, now 8156/3) Endocrine tumor, functioning, NOS (8158/1, now 8158/3) ACTH-producing tumor (8158/1, now 8158/3) 	
D42._, D43._	Neoplasms of uncertain behavior of meninges, brain, CNS
D44.3 - D44.5	Neoplasm of uncertain or unknown behavior Pituitary gland and craniopharyngeal duct (pouch), pineal gland
D44.6 Neoplasm of uncertain behavior of carotid body	
Note: Effective 1/1/2021 review this code to look for the following histologies which were previously borderline tumors, but are now malignant per ICD-O-3.2	
<ul style="list-style-type: none"> Carotid body tumor/Carotid body paraganglioma (8692/1, now 8692/3) 	
D44.7 Neoplasm of uncertain behavior of aortic body and other paraganglia	
Note: Effective 1/1/2021 review this code to look for the following histologies which were previously borderline tumors, but are now malignant per ICD-O-3.2	
<ul style="list-style-type: none"> Paraganglioma, NOS (8680/1, now 8680/3) Sympathetic paraganglioma (8681/1, now 8681/3) Parasympathetic paraganglioma (8682/1, now 8682/3) Glomulus jugulare tumor, NOS/jugular paraganglioma/juglotympanic paraganglioma (8691/1, now 8691/3) Aortic body tumor/aortic body paraganglioma/aorticpulmonary paraganglioma (8691/1, now 8691/3) Extra-adrenal paraganglioma, NOS/nonchromaffin paraganglioma, NOS/chemodectoma (8693/1, now 8693/3) 	
D45	Polycythemia vera (9950/3)

<i>ICD-10-CM Coding instruction note: Excludes familial polycythemia (C75.0), secondary polycythemia (D75.1)</i>	
D46.	Myelodysplastic syndromes (9980,9982,9983,9985,9986,9989,9991,9992)
D47.02	Systemic mastocytosis <i>Effective: 10/1/17</i>
D47.1	Chronic myeloproliferative disease (9963/3, 9975/3). <i>ICD-10-CM Coding instruction note: Excludes the following:</i> <i>Atypical chronic myeloid leukemia BCR/ABL-negative (C92.2_)</i> <i>Chronic myeloid leukemia BCR/ABL-positive (C92.1_)</i> <i>Myelofibrosis & Secondary myelofibrosis (D75.81)</i> <i>Myelophthisic anemia & Myelophthisis (D61.82)</i>
D47.3	Essential (hemorrhagic) thrombocythemia (9962/3) <i>Includes: Essential thrombocytosis, idiopathic hemorrhagic thrombocythemia</i>
D47.4	Osteomyelofibrosis (9961/3) <i>Includes: Chronic idiopathic myelofibrosis Myelofibrosis (idiopathic) (with myeloid metaplasia)</i> <i>Myelosclerosis (megakaryocytic) with myeloid metaplasia)</i> <i>Secondary myelofibrosis in myeloproliferative disease</i>
D47.Z_	Other neoplasms of uncertain behavior of lymphoid, hematopoietic related tissue unspecified (9960/3, 9970/1, 9971/3, 9931/3)
D47.9	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified (9960/3, 9970/1, 9971/3, 9931/3)
D48.0	Neoplasm of uncertain behavior of bone and articular cartilage Note: <i>Effective 1/1/2021</i> review this code to look for the following histologies which were previously borderline tumors, but are now malignant per ICD-O-3.2 <ul style="list-style-type: none"> • Clear cell odontogenic tumor (9341/1, now 9341/3)
D49.2	Neoplasm of uncertain behavior of digestive organs (includes unspecified behavior of pancreas) Note: Review this code to look for the following which were previously unknown behavior tumors of the pancreas, but are now malignant tumors per ICD-O-3.2 (8150/3) <ul style="list-style-type: none"> • Pancreatic endocrine tumor, NOS • Islet cell tumor, NOS
D49.6, D49.7	Neoplasms of uncertain behavior of brain, endocrine glands and other CNS
D72.110	Idiopathic hypereosinophilic syndrome [HES]
D72.111	Lymphocytic Variant Hypereosinophilic Syndrome [LHES]
D72.118	Other hypereosinophilic syndrome
D72.119	Hypereosinophilic syndrome [HES], unspecified
R85.614	Cytologic evidence of malignancy on smear of anus
R87.614	Cytologic evidence of malignancy on smear of cervix
R87.624	Cytologic evidence of malignancy on smear of vagina
E34.0	Carcinoid Syndrome
R18.0	Malignant ascites
Z51.0	Encounter or admission for radiotherapy
Z51.1	Encounter for chemotherapy and immunotherapy
J91.0	Malignant pleural effusion
Z94.81, Z94.84	Bone marrow and stem cell transplant status

Neoplasms NOT Reportable to ACCR:

Morphology Codes	Diagnosis/Terminology
8000-8005	Neoplasms, malignant, NOS of skin

8010/2	Carcinoma in-situ of cervix (CIS)
8010-8046	Epithelial carcinomas of the skin
8050-8084	Papillary and squamous cell carcinoma of skin
8077/2	Squamous Intraepithelial Neoplasia, grade III of cervix (CIN III)
8090-8110	Basal cell carcinoma of the skin
8148/2	Prostatic Intraepithelial Neoplasia

- Borderline cystadenomas M-8442, 8451, 8462, 8472, 8473, of the ovaries are NOT collected as of 1/1/2001

The following terms are synonymous with in-situ disease (Behavior code 2) and **ARE reportable**

Adenocarcinoma in an adenomatous polyp with no invasion of stalk
 Clark's level I melanoma or limited to epithelium
 Noninfiltrating comedocarcinoma, confined to epithelium
 Hutchison's melanotic freckle NOS
 Intracystic-noninfiltrating
 Intraductal,
 Intraepithelium NOS
 Intraepidermal NOS (involvement up to but not including basement membrane.)
 Lentigo maligna
 Lobular non-infiltrating/noninvasive
 No stromal involvement,
 Papillary non-infiltrating or intraductal
 Vaginal intraepithelial neoplasia Grade III or VAIN III
 Vulvar intraepithelial neoplasia Grade III or VIN III
 Anal intraepithelial neoplasia Grade III or AIN III

- ◇ If any invasion is present, no matter how limited – cases must be coded to invasive behavior (/3)
- ◇ If other benign or borderline diseases are required to be collected by your hospital cancer committee or other appointed officials, they are not required to be reported to ACCR.

Revised 10/8/20